

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
1	EMP-001	1	BANO_H	013	013	2026-02-23 08:08:29	2026-02-23 08:14:27	358	CERRADA	Simulación normal
2	EMP-002	2	BANO_H	013	013	2026-02-23 08:19:29	2026-02-23 08:28:16	527	CERRADA	Simulación normal
3	EMP-003	3	BANO_H	013	013	2026-02-23 08:30:28	2026-02-23 08:35:04	276	CERRADA	Simulación normal
4	EMP-004	4	BANO_H	013	013	2026-02-23 08:41:27	2026-02-23 09:16:05	2,078	CERRADA	Simulación crítica
5	EMP-005	5	BANO_H	013	013	2026-02-23 08:52:26	2026-02-23 08:55:41	195	CERRADA	Simulación normal
10	EMP-002	2	BANO_H	013	013	2026-02-23 11:18:00	2026-02-23 11:21:32	212	CERRADA	Simulación normal
11	EMP-005	5	BANO_H	013	013	2026-02-23 13:04:05	2026-02-23 13:10:50	405	CERRADA	Simulación normal
12	EMP-001	1	BANO_H	013	013	2026-02-23 13:11:21	2026-02-23 13:20:49	568	CERRADA	Simulación normal
13	EMP-003	3	BANO_H	013	013	2026-02-23 13:37:43	2026-02-23 13:45:50	487	CERRADA	Simulación normal
14	EMP-003	3	BANO_H	013	013	2026-02-23 15:17:01	2026-02-23 15:33:42	1,001	CERRADA	Simulación larga
15	EMP-005	5	BANO_H	013	013	2026-02-23 15:59:52	2026-02-23 16:08:22	510	CERRADA	Simulación normal
16	EMP-002	2	BANO_H	013	013	2026-02-23 16:25:35	2026-02-23 16:32:37	422	CERRADA	Simulación normal
17	EMP-003	3	BANO_H	013	013	2026-02-23 17:29:58	2026-02-23 17:34:35	277	CERRADA	Simulación normal
18	EMP-003	3	BANO_H	013	013	2026-02-24 08:00:21	2026-02-24 08:08:26	485	CERRADA	Simulación normal
19	EMP-004	4	BANO_H	013	013	2026-02-24 08:11:20	2026-02-24 08:15:14	234	CERRADA	Simulación normal
20	EMP-005	5	BANO_H	013	013	2026-02-24 08:22:19	2026-02-24 08:47:24	1,505	CERRADA	Simulación crítica
21	EMP-001	1	BANO_H	013	013	2026-02-24 08:38:23	2026-02-24 08:47:49	566	CERRADA	Simulación normal
22	EMP-002	2	BANO_H	013	013	2026-02-24 08:49:22	2026-02-24 08:54:38	316	CERRADA	Simulación normal
26	EMP-005	5	BANO_H	013	013	2026-02-24 11:04:43	2026-02-24 11:13:11	508	CERRADA	Simulación normal
27	EMP-001	1	BANO_H	013	013	2026-02-24 11:22:12	2026-02-24 11:26:23	251	CERRADA	Simulación normal
28	EMP-002	2	BANO_H	013	013	2026-02-24 13:24:24	2026-02-24 13:33:10	526	CERRADA	Simulación normal
29	EMP-004	4	BANO_H	013	013	2026-02-24 13:50:46	2026-02-24 13:58:10	444	CERRADA	Simulación normal
30	EMP-004	4	BANO_H	013	013	2026-02-24 15:15:43	2026-02-24 15:33:19	1,056	CERRADA	Simulación larga
31	EMP-001	1	BANO_H	013	013	2026-02-24 15:41:27	2026-02-24 15:49:09	462	CERRADA	Simulación normal
32	EMP-003	3	BANO_H	013	013	2026-02-24 16:24:18	2026-02-24 16:30:38	380	CERRADA	Simulación normal
33	EMP-004	4	BANO_H	013	013	2026-02-24 17:20:07	2026-02-24 17:24:01	234	CERRADA	Simulación normal
34	EMP-001	1	BANO_H	013	013	2026-02-25 08:08:16	2026-02-25 08:14:11	355	CERRADA	Simulación normal
35	EMP-002	2	BANO_H	013	013	2026-02-25 08:19:15	2026-02-25 08:27:59	524	CERRADA	Simulación normal
36	EMP-003	3	BANO_H	013	013	2026-02-25 08:30:15	2026-02-25 08:34:48	273	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
37	EMP-004	4	BANO_H	013	013	2026-02-25 08:41:14	2026-02-25 08:48:36	442	CERRADA	Simulación normal
38	EMP-005	5	BANO_H	013	013	2026-02-25 08:52:13	2026-02-25 08:55:24	191	CERRADA	Simulación normal
42	EMP-004	4	BANO_H	013	013	2026-02-25 11:08:54	2026-02-25 11:18:01	547	CERRADA	Simulación normal
43	EMP-005	5	BANO_H	013	013	2026-02-25 11:27:02	2026-02-25 11:55:49	1,727	CERRADA	Simulación crítica
44	EMP-005	5	BANO_H	013	013	2026-02-25 13:03:49	2026-02-25 13:10:31	402	CERRADA	Simulación normal
45	EMP-001	1	BANO_H	013	013	2026-02-25 13:11:05	2026-02-25 13:20:30	565	CERRADA	Simulación normal
46	EMP-003	3	BANO_H	013	013	2026-02-25 13:37:27	2026-02-25 13:45:30	483	CERRADA	Simulación normal
47	EMP-005	5	BANO_H	013	013	2026-02-25 15:14:26	2026-02-25 15:32:57	1,111	CERRADA	Simulación larga
48	EMP-001	1	BANO_H	013	013	2026-02-25 15:18:44	2026-02-25 15:22:54	250	CERRADA	Simulación normal
49	EMP-002	2	BANO_H	013	013	2026-02-25 15:40:10	2026-02-25 15:47:09	419	CERRADA	Simulación normal
50	EMP-004	4	BANO_H	013	013	2026-02-25 16:23:00	2026-02-25 16:28:37	337	CERRADA	Simulación normal
51	EMP-001	1	BANO_H	013	013	2026-02-25 17:09:16	2026-02-25 17:15:11	355	CERRADA	Simulación normal
52	EMP-005	5	BANO_H	013	013	2026-02-25 17:10:17	2026-02-25 17:13:29	192	CERRADA	Simulación normal
53	EMP-001	1	BANO_H	013	013	2026-02-25 19:07:39	2026-02-25 19:29:28	1,309	CERRADA	Simulación crítica
54	EMP-003	3	BANO_H	013	013	2026-02-26 08:00:08	2026-02-26 08:08:09	481	CERRADA	Simulación normal
55	EMP-004	4	BANO_H	013	013	2026-02-26 08:11:07	2026-02-26 08:14:58	231	CERRADA	Simulación normal
56	EMP-005	5	BANO_H	013	013	2026-02-26 08:22:06	2026-02-26 08:28:46	400	CERRADA	Simulación normal
57	EMP-001	1	BANO_H	013	013	2026-02-26 08:38:10	2026-02-26 08:47:33	563	CERRADA	Simulación normal
58	EMP-002	2	BANO_H	013	013	2026-02-26 08:49:09	2026-02-26 08:54:21	312	CERRADA	Simulación normal
63	EMP-003	3	BANO_H	013	013	2026-02-26 11:13:05	2026-02-26 11:22:51	586	CERRADA	Simulación normal
64	EMP-002	2	BANO_H	013	013	2026-02-26 13:24:08	2026-02-26 13:32:50	522	CERRADA	Simulación normal
65	EMP-004	4	BANO_H	013	013	2026-02-26 13:50:30	2026-02-26 13:57:51	441	CERRADA	Simulación normal
66	EMP-002	2	BANO_H	013	013	2026-02-26 15:17:27	2026-02-26 15:20:54	207	CERRADA	Simulación normal
67	EMP-003	3	BANO_H	013	013	2026-02-26 15:38:52	2026-02-26 15:45:09	377	CERRADA	Simulación normal
68	EMP-005	5	BANO_H	013	013	2026-02-26 16:21:43	2026-02-26 16:26:38	295	CERRADA	Simulación normal
69	EMP-002	2	BANO_H	013	013	2026-02-26 17:39:25	2026-02-26 17:44:37	312	CERRADA	Simulación normal
70	EMP-002	2	BANO_H	013	013	2026-02-26 19:23:18	2026-02-26 19:50:33	1,635	CERRADA	Simulación crítica
71	EMP-001	1	BANO_H	013	013	2026-02-27 08:08:03	2026-02-27 08:21:00	777	CERRADA	Simulación larga
72	EMP-002	2	BANO_H	013	013	2026-02-27 08:19:02	2026-02-27 08:27:42	520	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
73	EMP-003	3	BANO_H	013	013	2026-02-27 08:30:01	2026-02-27 08:34:31	270	CERRADA	Simulación normal
74	EMP-004	4	BANO_H	013	013	2026-02-27 08:41:01	2026-02-27 08:48:20	439	CERRADA	Simulación normal
75	EMP-005	5	BANO_H	013	013	2026-02-27 08:52:00	2026-02-27 08:55:08	188	CERRADA	Simulación normal
80	EMP-002	2	BANO_H	013	013	2026-02-27 11:17:17	2026-02-27 11:20:43	206	CERRADA	Simulación normal
81	EMP-005	5	BANO_H	013	013	2026-02-27 13:03:33	2026-02-27 13:10:11	398	CERRADA	Simulación normal
82	EMP-001	1	BANO_H	013	013	2026-02-27 13:10:49	2026-02-27 13:20:10	561	CERRADA	Simulación normal
83	EMP-003	3	BANO_H	013	013	2026-02-27 13:37:11	2026-02-27 13:45:11	480	CERRADA	Simulación normal
84	EMP-003	3	BANO_H	013	013	2026-02-27 15:16:09	2026-02-27 15:25:54	585	CERRADA	Simulación normal
85	EMP-004	4	BANO_H	013	013	2026-02-27 15:37:35	2026-02-27 15:43:09	334	CERRADA	Simulación normal
86	EMP-001	1	BANO_H	013	013	2026-02-27 16:03:18	2026-02-27 16:07:24	246	CERRADA	Simulación normal
87	EMP-003	3	BANO_H	013	013	2026-02-27 17:29:34	2026-02-27 17:34:04	270	CERRADA	Simulación normal
88	EMP-003	3	BANO_H	013	013	2026-02-27 19:08:58	2026-02-27 19:41:39	1,961	CERRADA	Simulación crítica
89	EMP-004	4	BANO_H	013	013	2026-02-28 08:10:54	2026-02-28 08:14:41	227	CERRADA	Simulación normal
90	EMP-005	5	BANO_H	013	013	2026-02-28 08:21:53	2026-02-28 08:28:29	396	CERRADA	Simulación normal
91	EMP-001	1	BANO_H	013	013	2026-02-28 08:37:56	2026-02-28 08:47:16	560	CERRADA	Simulación normal
92	EMP-002	2	BANO_H	013	013	2026-02-28 08:48:56	2026-02-28 09:02:48	832	CERRADA	Simulación larga
93	EMP-003	3	BANO_H	013	013	2026-02-28 08:59:55	2026-02-28 09:07:53	478	CERRADA	Simulación normal
97	EMP-005	5	BANO_H	013	013	2026-02-28 11:03:59	2026-02-28 11:12:20	501	CERRADA	Simulación normal
98	EMP-001	1	BANO_H	013	013	2026-02-28 11:21:28	2026-02-28 11:34:23	775	CERRADA	Simulación larga
99	EMP-002	2	BANO_H	013	013	2026-02-28 13:23:52	2026-02-28 13:32:31	519	CERRADA	Simulación normal
100	EMP-004	4	BANO_H	013	013	2026-02-28 13:50:14	2026-02-28 13:57:31	437	CERRADA	Simulación normal
101	EMP-004	4	BANO_H	013	013	2026-02-28 15:14:52	2026-02-28 15:23:54	542	CERRADA	Simulación normal
102	EMP-005	5	BANO_H	013	013	2026-02-28 15:36:17	2026-02-28 15:41:09	292	CERRADA	Simulación normal
103	EMP-001	1	BANO_H	013	013	2026-02-28 15:40:36	2026-02-28 15:48:11	455	CERRADA	Simulación normal
104	EMP-002	2	BANO_H	013	013	2026-02-28 16:02:01	2026-02-28 16:05:25	204	CERRADA	Simulación normal
105	EMP-004	4	BANO_H	013	013	2026-02-28 17:19:43	2026-02-28 17:23:30	227	CERRADA	Simulación normal
106	EMP-004	4	BANO_H	013	013	2026-02-28 19:24:37	2026-02-28 19:47:45	1,388	CERRADA	Simulación crítica
107	EMP-001	1	BANO_H	013	013	2026-03-01 08:07:50	2026-03-01 08:13:38	348	CERRADA	Simulación normal
108	EMP-002	2	BANO_H	013	013	2026-03-01 08:18:49	2026-03-01 08:27:26	517	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
109	EMP-003	3	BANO_H	013	013	2026-03-01 08:29:48	2026-03-01 08:44:34	886	CERRADA	Simulación larga
110	EMP-004	4	BANO_H	013	013	2026-03-01 08:40:47	2026-03-01 08:48:02	435	CERRADA	Simulación normal
111	EMP-005	5	BANO_H	013	013	2026-03-01 08:51:47	2026-03-01 08:54:52	185	CERRADA	Simulación normal
115	EMP-004	4	BANO_H	013	013	2026-03-01 11:08:11	2026-03-01 11:17:12	541	CERRADA	Simulación normal
116	EMP-005	5	BANO_H	013	013	2026-03-01 11:26:18	2026-03-01 11:31:08	290	CERRADA	Simulación normal
117	EMP-005	5	BANO_H	013	013	2026-03-01 13:03:17	2026-03-01 13:09:52	395	CERRADA	Simulación normal
118	EMP-001	1	BANO_H	013	013	2026-03-01 13:10:33	2026-03-01 13:23:27	774	CERRADA	Simulación larga
119	EMP-003	3	BANO_H	013	013	2026-03-01 13:36:55	2026-03-01 13:44:51	476	CERRADA	Simulación normal
120	EMP-005	5	BANO_H	013	013	2026-03-01 15:13:34	2026-03-01 15:21:54	500	CERRADA	Simulación normal
121	EMP-002	2	BANO_H	013	013	2026-03-01 15:39:18	2026-03-01 15:46:10	412	CERRADA	Simulación normal
122	EMP-003	3	BANO_H	013	013	2026-03-01 16:00:44	2026-03-01 16:10:25	581	CERRADA	Simulación normal
123	EMP-001	1	BANO_H	013	013	2026-03-01 17:08:51	2026-03-01 17:14:39	348	CERRADA	Simulación normal
124	EMP-005	5	BANO_H	013	013	2026-03-01 17:09:52	2026-03-01 17:12:57	185	CERRADA	Simulación normal
125	EMP-005	5	BANO_H	013	013	2026-03-01 19:10:17	2026-03-01 19:38:51	1,714	CERRADA	Simulación crítica
126	EMP-004	4	BANO_H	013	013	2026-03-02 08:10:41	2026-03-02 08:26:22	941	CERRADA	Simulación larga
127	EMP-005	5	BANO_H	013	013	2026-03-02 08:21:40	2026-03-02 08:28:13	393	CERRADA	Simulación normal
128	EMP-001	1	BANO_H	013	013	2026-03-02 08:37:43	2026-03-02 08:46:59	556	CERRADA	Simulación normal
129	EMP-002	2	BANO_H	013	013	2026-03-02 08:48:42	2026-03-02 08:53:47	305	CERRADA	Simulación normal
130	EMP-003	3	BANO_H	013	013	2026-03-02 08:59:42	2026-03-02 09:07:37	475	CERRADA	Simulación normal
135	EMP-003	3	BANO_H	013	013	2026-03-02 11:12:22	2026-03-02 11:27:07	885	CERRADA	Simulación larga
136	EMP-002	2	BANO_H	013	013	2026-03-02 13:23:36	2026-03-02 13:37:24	828	CERRADA	Simulación larga
137	EMP-004	4	BANO_H	013	013	2026-03-02 13:49:58	2026-03-02 13:57:12	434	CERRADA	Simulación normal
138	EMP-003	3	BANO_H	013	013	2026-03-02 15:38:01	2026-03-02 15:44:11	370	CERRADA	Simulación normal
139	EMP-004	4	BANO_H	013	013	2026-03-02 15:59:26	2026-03-02 16:08:25	539	CERRADA	Simulación normal
140	EMP-001	1	BANO_H	013	013	2026-03-02 16:25:10	2026-03-02 16:38:02	772	CERRADA	Simulación larga
141	EMP-002	2	BANO_H	013	013	2026-03-02 17:39:00	2026-03-02 17:44:06	306	CERRADA	Simulación normal
142	EMP-001	1	BANO_H	013	013	2026-03-03 08:07:37	2026-03-03 08:13:21	344	CERRADA	Simulación normal
143	EMP-002	2	BANO_H	013	013	2026-03-03 08:18:36	2026-03-03 08:27:10	514	CERRADA	Simulación normal
144	EMP-003	3	BANO_H	013	013	2026-03-03 08:29:35	2026-03-03 08:33:58	263	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
145	EMP-004	4	BANO_H	013	013	2026-03-03 08:40:34	2026-03-03 08:47:46	432	CERRADA	Simulación normal
146	EMP-005	5	BANO_H	013	013	2026-03-03 08:51:33	2026-03-03 09:08:09	996	CERRADA	Simulación larga
151	EMP-002	2	BANO_H	013	013	2026-03-03 11:16:33	2026-03-03 11:19:52	199	CERRADA	Simulación normal
152	EMP-005	5	BANO_H	013	013	2026-03-03 13:03:02	2026-03-03 13:09:33	391	CERRADA	Simulación normal
153	EMP-001	1	BANO_H	013	013	2026-03-03 13:10:17	2026-03-03 13:19:32	555	CERRADA	Simulación normal
154	EMP-003	3	BANO_H	013	013	2026-03-03 13:36:39	2026-03-03 13:51:22	883	CERRADA	Simulación larga
155	EMP-004	4	BANO_H	013	013	2026-03-03 15:36:43	2026-03-03 15:42:10	327	CERRADA	Simulación normal
156	EMP-005	5	BANO_H	013	013	2026-03-03 15:58:09	2026-03-03 16:06:25	496	CERRADA	Simulación normal
157	EMP-001	1	BANO_H	013	013	2026-03-03 16:02:27	2026-03-03 16:06:27	240	CERRADA	Simulación normal
158	EMP-002	2	BANO_H	013	013	2026-03-03 16:23:52	2026-03-03 16:37:39	827	CERRADA	Simulación larga
159	EMP-003	3	BANO_H	013	013	2026-03-03 17:29:09	2026-03-03 17:33:32	263	CERRADA	Simulación normal
160	EMP-004	4	BANO_H	013	013	2026-03-04 08:10:28	2026-03-04 08:14:08	220	CERRADA	Simulación normal
161	EMP-005	5	BANO_H	013	013	2026-03-04 08:21:27	2026-03-04 08:27:57	390	CERRADA	Simulación normal
162	EMP-001	1	BANO_H	013	013	2026-03-04 08:37:30	2026-03-04 08:46:43	553	CERRADA	Simulación normal
163	EMP-002	2	BANO_H	013	013	2026-03-04 08:48:29	2026-03-04 08:53:31	302	CERRADA	Simulación normal
164	EMP-003	3	BANO_H	013	013	2026-03-04 08:59:28	2026-03-04 09:07:19	471	CERRADA	Simulación normal
168	EMP-005	5	BANO_H	013	013	2026-03-04 11:03:16	2026-03-04 11:19:51	995	CERRADA	Simulación larga
169	EMP-001	1	BANO_H	013	013	2026-03-04 11:20:45	2026-03-04 11:24:43	238	CERRADA	Simulación normal
170	EMP-002	2	BANO_H	013	013	2026-03-04 13:23:21	2026-03-04 13:31:53	512	CERRADA	Simulación normal
171	EMP-004	4	BANO_H	013	013	2026-03-04 13:49:43	2026-03-04 14:05:21	938	CERRADA	Simulación larga
172	EMP-005	5	BANO_H	013	013	2026-03-04 15:35:26	2026-03-04 15:40:11	285	CERRADA	Simulación normal
173	EMP-002	2	BANO_H	013	013	2026-03-04 16:01:10	2026-03-04 16:04:27	197	CERRADA	Simulación normal
174	EMP-003	3	BANO_H	013	013	2026-03-04 16:22:35	2026-03-04 16:37:17	882	CERRADA	Simulación larga
175	EMP-004	4	BANO_H	013	013	2026-03-04 17:19:18	2026-03-04 17:22:59	221	CERRADA	Simulación normal
176	EMP-001	1	BANO_H	013	013	2026-03-04 19:29:34	2026-03-04 19:42:23	769	CERRADA	Simulación larga
177	EMP-001	1	BANO_H	013	013	2026-03-05 08:07:23	2026-03-05 08:13:04	341	CERRADA	Simulación normal
178	EMP-002	2	BANO_H	013	013	2026-03-05 08:18:23	2026-03-05 08:26:53	510	CERRADA	Simulación normal
179	EMP-003	3	BANO_H	013	013	2026-03-05 08:29:22	2026-03-05 08:33:41	259	CERRADA	Simulación normal
180	EMP-004	4	BANO_H	013	013	2026-03-05 08:40:21	2026-03-05 08:47:30	429	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
181	EMP-005	5	BANO_H	013	013	2026-03-05 08:51:20	2026-03-05 09:01:18	598	CERRADA	Simulación normal
185	EMP-004	4	BANO_H	013	013	2026-03-05 11:07:27	2026-03-05 11:16:21	534	CERRADA	Simulación normal
186	EMP-005	5	BANO_H	013	013	2026-03-05 11:25:35	2026-03-05 11:30:18	283	CERRADA	Simulación normal
187	EMP-005	5	BANO_H	013	013	2026-03-05 13:02:46	2026-03-05 13:19:19	993	CERRADA	Simulación larga
188	EMP-001	1	BANO_H	013	013	2026-03-05 13:10:02	2026-03-05 13:19:13	551	CERRADA	Simulación normal
189	EMP-003	3	BANO_H	013	013	2026-03-05 13:36:24	2026-03-05 13:44:14	470	CERRADA	Simulación normal
190	EMP-001	1	BANO_H	013	013	2026-03-05 15:17:01	2026-03-05 15:20:57	236	CERRADA	Simulación normal
191	EMP-003	3	BANO_H	013	013	2026-03-05 15:59:52	2026-03-05 16:09:27	575	CERRADA	Simulación normal
192	EMP-004	4	BANO_H	013	013	2026-03-05 16:21:18	2026-03-05 16:36:55	937	CERRADA	Simulación larga
193	EMP-001	1	BANO_H	013	013	2026-03-05 17:08:26	2026-03-05 17:14:07	341	CERRADA	Simulación normal
194	EMP-005	5	BANO_H	013	013	2026-03-05 17:09:27	2026-03-05 17:19:25	598	CERRADA	Simulación normal
195	EMP-002	2	BANO_H	013	013	2026-03-05 19:15:14	2026-03-05 19:28:58	824	CERRADA	Simulación larga
196	EMP-004	4	BANO_H	013	013	2026-03-06 08:10:14	2026-03-06 08:13:51	217	CERRADA	Simulación normal
197	EMP-005	5	BANO_H	013	013	2026-03-06 08:21:14	2026-03-06 08:27:40	386	CERRADA	Simulación normal
198	EMP-001	1	BANO_H	013	013	2026-03-06 08:37:17	2026-03-06 08:46:26	549	CERRADA	Simulación normal
199	EMP-002	2	BANO_H	013	013	2026-03-06 08:48:16	2026-03-06 08:53:15	299	CERRADA	Simulación normal
200	EMP-003	3	BANO_H	013	013	2026-03-06 08:59:15	2026-03-06 09:07:03	468	CERRADA	Simulación normal
204	EMP-003	3	BANO_H	013	013	2026-03-06 11:11:38	2026-03-06 11:21:11	573	CERRADA	Simulación normal
205	EMP-004	4	BANO_H	013	013	2026-03-06 11:29:46	2026-03-06 11:35:08	322	CERRADA	Simulación normal
206	EMP-002	2	BANO_H	013	013	2026-03-06 13:23:05	2026-03-06 13:31:34	509	CERRADA	Simulación normal
207	EMP-004	4	BANO_H	013	013	2026-03-06 13:49:27	2026-03-06 13:56:34	427	CERRADA	Simulación normal
208	EMP-002	2	BANO_H	013	013	2026-03-06 15:15:44	2026-03-06 15:18:58	194	CERRADA	Simulación normal
209	EMP-004	4	BANO_H	013	013	2026-03-06 15:58:35	2026-03-06 16:07:27	532	CERRADA	Simulación normal
210	EMP-005	5	BANO_H	013	013	2026-03-06 16:20:00	2026-03-06 16:36:32	992	CERRADA	Simulación larga
211	EMP-001	1	BANO_H	013	013	2026-03-06 16:24:18	2026-03-06 16:31:43	445	CERRADA	Simulación normal
212	EMP-002	2	BANO_H	013	013	2026-03-06 17:38:35	2026-03-06 17:43:34	299	CERRADA	Simulación normal
213	EMP-003	3	BANO_H	013	013	2026-03-06 19:00:53	2026-03-06 19:15:32	879	CERRADA	Simulación larga
214	EMP-001	1	BANO_H	013	013	2026-03-07 08:07:10	2026-03-07 08:12:48	338	CERRADA	Simulación normal
215	EMP-002	2	BANO_H	013	013	2026-03-07 08:18:09	2026-03-07 08:26:36	507	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
216	EMP-003	3	BANO_H	013	013	2026-03-07 08:29:09	2026-03-07 08:33:25	256	CERRADA	Simulación normal
217	EMP-004	4	BANO_H	013	013	2026-03-07 08:40:08	2026-03-07 08:47:13	425	CERRADA	Simulación normal
218	EMP-005	5	BANO_H	013	013	2026-03-07 08:51:07	2026-03-07 09:01:01	594	CERRADA	Simulación normal
223	EMP-002	2	BANO_H	013	013	2026-03-07 11:15:50	2026-03-07 11:19:02	192	CERRADA	Simulación normal
224	EMP-005	5	BANO_H	013	013	2026-03-07 13:02:30	2026-03-07 13:08:55	385	CERRADA	Simulación normal
225	EMP-001	1	BANO_H	013	013	2026-03-07 13:09:46	2026-03-07 13:18:54	548	CERRADA	Simulación normal
226	EMP-003	3	BANO_H	013	013	2026-03-07 13:36:08	2026-03-07 13:43:54	466	CERRADA	Simulación normal
227	EMP-003	3	BANO_H	013	013	2026-03-07 15:14:26	2026-03-07 15:23:57	571	CERRADA	Simulación normal
228	EMP-005	5	BANO_H	013	013	2026-03-07 15:57:17	2026-03-07 16:05:27	490	CERRADA	Simulación normal
229	EMP-002	2	BANO_H	013	013	2026-03-07 16:23:01	2026-03-07 16:29:43	402	CERRADA	Simulación normal
230	EMP-003	3	BANO_H	013	013	2026-03-07 17:28:45	2026-03-07 17:33:01	256	CERRADA	Simulación normal
231	EMP-004	4	BANO_H	013	013	2026-03-07 19:16:33	2026-03-07 19:32:07	934	CERRADA	Simulación larga
232	EMP-004	4	BANO_H	013	013	2026-03-08 08:10:01	2026-03-08 08:13:35	214	CERRADA	Simulación normal
233	EMP-005	5	BANO_H	013	013	2026-03-08 08:21:00	2026-03-08 08:27:23	383	CERRADA	Simulación normal
234	EMP-001	1	BANO_H	013	013	2026-03-08 08:37:04	2026-03-08 08:55:01	1,077	CERRADA	Simulación larga
235	EMP-002	2	BANO_H	013	013	2026-03-08 08:48:03	2026-03-08 08:52:58	295	CERRADA	Simulación normal
236	EMP-003	3	BANO_H	013	013	2026-03-08 08:59:02	2026-03-08 09:06:46	464	CERRADA	Simulación normal
240	EMP-005	5	BANO_H	013	013	2026-03-08 11:02:32	2026-03-08 11:10:40	488	CERRADA	Simulación normal
241	EMP-001	1	BANO_H	013	013	2026-03-08 11:20:01	2026-03-08 11:23:52	231	CERRADA	Simulación normal
242	EMP-002	2	BANO_H	013	013	2026-03-08 13:22:49	2026-03-08 13:31:14	505	CERRADA	Simulación normal
243	EMP-004	4	BANO_H	013	013	2026-03-08 13:49:11	2026-03-08 13:56:15	424	CERRADA	Simulación normal
244	EMP-004	4	BANO_H	013	013	2026-03-08 15:13:09	2026-03-08 15:21:58	529	CERRADA	Simulación normal
245	EMP-001	1	BANO_H	013	013	2026-03-08 15:38:53	2026-03-08 15:46:14	441	CERRADA	Simulación normal
246	EMP-003	3	BANO_H	013	013	2026-03-08 16:21:44	2026-03-08 16:27:44	360	CERRADA	Simulación normal
247	EMP-004	4	BANO_H	013	013	2026-03-08 17:18:54	2026-03-08 17:22:28	214	CERRADA	Simulación normal
248	EMP-005	5	BANO_H	013	013	2026-03-08 19:02:12	2026-03-08 19:18:41	989	CERRADA	Simulación larga
250	EMP-002	2	BANO_H	013	013	2026-03-09 08:17:56	2026-03-09 08:36:48	1,132	CERRADA	Simulación larga
251	EMP-003	3	BANO_H	013	013	2026-03-09 08:28:55	2026-03-09 08:33:08	253	CERRADA	Simulación normal
252	EMP-004	4	BANO_H	013	013	2026-03-09 08:39:55	2026-03-09 08:46:57	422	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
253	EMP-005	5	BANO_H	013	013	2026-03-09 08:50:54	2026-03-09 09:00:45	591	CERRADA	Simulación normal
257	EMP-004	4	BANO_H	013	013	2026-03-09 11:06:43	2026-03-09 11:15:30	527	CERRADA	Simulación normal
258	EMP-005	5	BANO_H	013	013	2026-03-09 11:24:51	2026-03-09 11:29:27	276	CERRADA	Simulación normal
259	EMP-005	5	BANO_H	013	013	2026-03-09 13:02:14	2026-03-09 13:08:35	381	CERRADA	Simulación normal
260	EMP-001	1	BANO_H	013	013	2026-03-09 13:09:30	2026-03-09 13:18:34	544	CERRADA	Simulación normal
261	EMP-003	3	BANO_H	013	013	2026-03-09 13:35:52	2026-03-09 13:43:35	463	CERRADA	Simulación normal
262	EMP-005	5	BANO_H	013	013	2026-03-09 15:11:52	2026-03-09 15:19:58	486	CERRADA	Simulación normal
263	EMP-001	1	BANO_H	013	013	2026-03-09 15:16:10	2026-03-09 15:20:00	230	CERRADA	Simulación normal
264	EMP-002	2	BANO_H	013	013	2026-03-09 15:37:35	2026-03-09 15:44:14	399	CERRADA	Simulación normal
265	EMP-004	4	BANO_H	013	013	2026-03-09 16:20:26	2026-03-09 16:25:43	317	CERRADA	Simulación normal
266	EMP-001	1	BANO_H	013	013	2026-03-09 17:08:02	2026-03-09 17:13:37	335	CERRADA	Simulación normal
267	EMP-005	5	BANO_H	013	013	2026-03-09 17:09:03	2026-03-09 17:18:54	591	CERRADA	Simulación normal
268	EMP-004	4	BANO_H	013	013	2026-03-10 08:09:48	2026-03-10 08:13:18	210	CERRADA	Simulación normal
269	EMP-005	5	BANO_H	013	013	2026-03-10 08:20:47	2026-03-10 08:27:06	379	CERRADA	Simulación normal
270	EMP-001	1	BANO_H	013	013	2026-03-10 08:36:50	2026-03-10 08:45:53	543	CERRADA	Simulación normal
271	EMP-002	2	BANO_H	013	013	2026-03-10 08:47:50	2026-03-10 09:10:40	1,370	CERRADA	Simulación crítica
272	EMP-003	3	BANO_H	013	013	2026-03-10 08:58:49	2026-03-10 09:11:36	767	CERRADA	Simulación larga
276	EMP-003	3	BANO_H	013	013	2026-03-10 11:10:55	2026-03-10 11:20:21	566	CERRADA	Simulación normal
277	EMP-004	4	BANO_H	013	013	2026-03-10 11:29:03	2026-03-10 11:34:18	315	CERRADA	Simulación normal
278	EMP-002	2	BANO_H	013	013	2026-03-10 13:22:33	2026-03-10 13:30:55	502	CERRADA	Simulación normal
279	EMP-004	4	BANO_H	013	013	2026-03-10 13:48:55	2026-03-10 13:55:55	420	CERRADA	Simulación normal
280	EMP-002	2	BANO_H	013	013	2026-03-10 15:14:52	2026-03-10 15:17:59	187	CERRADA	Simulación normal
281	EMP-003	3	BANO_H	013	013	2026-03-10 15:36:18	2026-03-10 15:42:14	356	CERRADA	Simulación normal
282	EMP-005	5	BANO_H	013	013	2026-03-10 16:19:09	2026-03-10 16:23:44	275	CERRADA	Simulación normal
283	EMP-002	2	BANO_H	013	013	2026-03-10 17:38:11	2026-03-10 17:43:03	292	CERRADA	Simulación normal
284	EMP-001	1	BANO_H	013	013	2026-03-11 08:06:44	2026-03-11 08:12:15	331	CERRADA	Simulación normal
285	EMP-002	2	BANO_H	013	013	2026-03-11 08:17:43	2026-03-11 08:26:03	500	CERRADA	Simulación normal
286	EMP-003	3	BANO_H	013	013	2026-03-11 08:28:42	2026-03-11 08:56:58	1,696	CERRADA	Simulación crítica
287	EMP-004	4	BANO_H	013	013	2026-03-11 08:39:41	2026-03-11 08:53:23	822	CERRADA	Simulación larga

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
288	EMP-005	5	BANO_H	013	013	2026-03-11 08:50:41	2026-03-11 09:00:29	588	CERRADA	Simulación normal
294	EMP-005	5	BANO_H	013	013	2026-03-11 13:01:58	2026-03-11 13:08:16	378	CERRADA	Simulación normal
295	EMP-001	1	BANO_H	013	013	2026-03-11 13:09:14	2026-03-11 13:34:01	1,487	CERRADA	Simulación crítica
296	EMP-003	3	BANO_H	013	013	2026-03-11 13:35:36	2026-03-11 13:43:15	459	CERRADA	Simulación normal
297	EMP-003	3	BANO_H	013	013	2026-03-11 15:13:35	2026-03-11 15:23:00	565	CERRADA	Simulación normal
298	EMP-004	4	BANO_H	013	013	2026-03-11 15:35:00	2026-03-11 15:40:14	314	CERRADA	Simulación normal
299	EMP-001	1	BANO_H	013	013	2026-03-11 16:00:44	2026-03-11 16:18:36	1,072	CERRADA	Simulación larga
300	EMP-003	3	BANO_H	013	013	2026-03-11 17:28:20	2026-03-11 17:32:30	250	CERRADA	Simulación normal
301	EMP-001	1	BANO_H	013	013	2026-03-11 19:21:30	2026-03-11 19:28:46	436	CERRADA	Simulación normal
302	EMP-004	4	BANO_H	013	013	2026-03-12 08:09:35	2026-03-12 08:43:17	2,022	CERRADA	Simulación crítica
303	EMP-005	5	BANO_H	013	013	2026-03-12 08:20:34	2026-03-12 08:35:11	877	CERRADA	Simulación larga
304	EMP-001	1	BANO_H	013	013	2026-03-12 08:36:37	2026-03-12 08:45:36	539	CERRADA	Simulación normal
305	EMP-002	2	BANO_H	013	013	2026-03-12 08:47:36	2026-03-12 08:52:24	288	CERRADA	Simulación normal
306	EMP-003	3	BANO_H	013	013	2026-03-12 08:58:36	2026-03-12 09:06:14	458	CERRADA	Simulación normal
310	EMP-005	5	BANO_H	013	013	2026-03-12 11:01:49	2026-03-12 11:09:50	481	CERRADA	Simulación normal
311	EMP-001	1	BANO_H	013	013	2026-03-12 11:19:18	2026-03-12 11:23:02	224	CERRADA	Simulación normal
313	EMP-004	4	BANO_H	013	013	2026-03-12 13:48:39	2026-03-12 13:55:36	417	CERRADA	Simulación normal
314	EMP-004	4	BANO_H	013	013	2026-03-12 15:12:18	2026-03-12 15:21:00	522	CERRADA	Simulación normal
315	EMP-005	5	BANO_H	013	013	2026-03-12 15:33:43	2026-03-12 15:38:14	271	CERRADA	Simulación normal
317	EMP-002	2	BANO_H	013	013	2026-03-12 15:59:27	2026-03-12 16:18:14	1,127	CERRADA	Simulación larga
318	EMP-004	4	BANO_H	013	013	2026-03-12 17:18:29	2026-03-12 17:21:56	207	CERRADA	Simulación normal
319	EMP-002	2	BANO_H	013	013	2026-03-12 19:07:09	2026-03-12 19:13:43	394	CERRADA	Simulación normal
320	EMP-001	1	BANO_H	013	013	2026-03-13 08:06:31	2026-03-13 08:11:59	328	CERRADA	Simulación normal
321	EMP-002	2	BANO_H	013	013	2026-03-13 08:17:30	2026-03-13 08:25:47	497	CERRADA	Simulación normal
322	EMP-003	3	BANO_H	013	013	2026-03-13 08:28:29	2026-03-13 08:32:35	246	CERRADA	Simulación normal
323	EMP-004	4	BANO_H	013	013	2026-03-13 08:39:28	2026-03-13 08:46:23	415	CERRADA	Simulación normal
324	EMP-005	5	BANO_H	013	013	2026-03-13 08:50:27	2026-03-13 09:14:36	1,449	CERRADA	Simulación crítica
328	EMP-004	4	BANO_H	013	013	2026-03-13 11:06:00	2026-03-13 11:28:24	1,344	CERRADA	Simulación crítica
329	EMP-005	5	BANO_H	013	013	2026-03-13 11:24:08	2026-03-13 11:38:43	875	CERRADA	Simulación larga

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
330	EMP-005	5	BANO_H	013	013	2026-03-13 13:01:42	2026-03-13 13:07:56	374	CERRADA	Simulación normal
331	EMP-001	1	BANO_H	013	013	2026-03-13 13:08:58	2026-03-13 13:17:56	538	CERRADA	Simulación normal
332	EMP-003	3	BANO_H	013	013	2026-03-13 13:35:20	2026-03-13 13:56:00	1,240	CERRADA	Simulación crítica
333	EMP-005	5	BANO_H	013	013	2026-03-13 15:11:00	2026-03-13 15:19:00	480	CERRADA	Simulación normal
335	EMP-003	3	BANO_H	013	013	2026-03-13 15:58:09	2026-03-13 16:10:51	762	CERRADA	Simulación larga
337	EMP-005	5	BANO_H	013	013	2026-03-13 17:08:38	2026-03-13 17:18:23	585	CERRADA	Simulación normal
338	EMP-003	3	BANO_H	013	013	2026-03-13 19:22:48	2026-03-13 19:28:39	351	CERRADA	Simulación normal
339	EMP-004	4	BANO_H	013	013	2026-03-14 08:09:22	2026-03-14 08:12:45	203	CERRADA	Simulación normal
340	EMP-005	5	BANO_H	013	013	2026-03-14 08:20:21	2026-03-14 08:26:34	373	CERRADA	Simulación normal
341	EMP-001	1	BANO_H	013	013	2026-03-14 08:36:24	2026-03-14 08:45:20	536	CERRADA	Simulación normal
342	EMP-002	2	BANO_H	013	013	2026-03-14 08:47:23	2026-03-14 08:52:08	285	CERRADA	Simulación normal
343	EMP-003	3	BANO_H	013	013	2026-03-14 08:58:22	2026-03-14 09:05:56	454	CERRADA	Simulación normal
347	EMP-003	3	BANO_H	013	013	2026-03-14 11:10:11	2026-03-14 11:19:30	559	CERRADA	Simulación normal
348	EMP-004	4	BANO_H	013	013	2026-03-14 11:28:19	2026-03-14 11:33:28	309	CERRADA	Simulación normal
349	EMP-002	2	BANO_H	013	013	2026-03-14 13:22:01	2026-03-14 13:30:16	495	CERRADA	Simulación normal
350	EMP-004	4	BANO_H	013	013	2026-03-14 13:48:24	2026-03-14 14:14:30	1,566	CERRADA	Simulación crítica
351	EMP-003	3	BANO_H	013	013	2026-03-14 15:35:26	2026-03-14 15:59:48	1,462	CERRADA	Simulación crítica
352	EMP-004	4	BANO_H	013	013	2026-03-14 15:56:52	2026-03-14 16:10:29	817	CERRADA	Simulación larga
353	EMP-001	1	BANO_H	013	013	2026-03-14 16:22:36	2026-03-14 16:29:47	431	CERRADA	Simulación normal
354	EMP-002	2	BANO_H	013	013	2026-03-14 17:37:46	2026-03-14 18:00:23	1,357	CERRADA	Simulación crítica
355	EMP-004	4	BANO_H	013	013	2026-03-14 19:08:28	2026-03-14 19:13:37	309	CERRADA	Simulación normal
356	EMP-001	1	BANO_H	013	013	2026-03-15 08:06:17	2026-03-15 08:11:41	324	CERRADA	Simulación normal
357	EMP-002	2	BANO_H	013	013	2026-03-15 08:17:17	2026-03-15 08:25:30	493	CERRADA	Simulación normal
358	EMP-003	3	BANO_H	013	013	2026-03-15 08:28:16	2026-03-15 08:32:19	243	CERRADA	Simulación normal
359	EMP-004	4	BANO_H	013	013	2026-03-15 08:39:15	2026-03-15 08:46:07	412	CERRADA	Simulación normal
360	EMP-005	5	BANO_H	013	013	2026-03-15 08:50:14	2026-03-15 08:59:55	581	CERRADA	Simulación normal
365	EMP-002	2	BANO_H	013	013	2026-03-15 11:14:23	2026-03-15 11:24:21	598	CERRADA	Simulación normal
366	EMP-005	5	BANO_H	013	013	2026-03-15 13:01:27	2026-03-15 13:32:59	1,892	CERRADA	Simulación crítica
367	EMP-001	1	BANO_H	013	013	2026-03-15 13:08:42	2026-03-15 13:17:36	534	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
368	EMP-003	3	BANO_H	013	013	2026-03-15 13:35:05	2026-03-15 13:42:38	453	CERRADA	Simulación normal
369	EMP-004	4	BANO_H	013	013	2026-03-15 15:34:09	2026-03-15 16:03:57	1,788	CERRADA	Simulación crítica
370	EMP-005	5	BANO_H	013	013	2026-03-15 15:55:34	2026-03-15 16:10:06	872	CERRADA	Simulación larga
371	EMP-001	1	BANO_H	013	013	2026-03-15 15:59:53	2026-03-15 16:03:32	219	CERRADA	Simulación normal
372	EMP-002	2	BANO_H	013	013	2026-03-15 16:21:18	2026-03-15 16:27:47	389	CERRADA	Simulación normal
373	EMP-003	3	BANO_H	013	013	2026-03-15 17:27:55	2026-03-15 17:55:58	1,683	CERRADA	Simulación crítica
374	EMP-005	5	BANO_H	013	013	2026-03-15 19:24:07	2026-03-15 19:28:33	266	CERRADA	Simulación normal
375	EMP-004	4	BANO_H	013	013	2026-03-16 08:09:08	2026-03-16 08:12:28	200	CERRADA	Simulación normal
376	EMP-005	5	BANO_H	013	013	2026-03-16 08:20:08	2026-03-16 08:26:17	369	CERRADA	Simulación normal
377	EMP-001	1	BANO_H	013	013	2026-03-16 08:36:11	2026-03-16 08:45:03	532	CERRADA	Simulación normal
378	EMP-002	2	BANO_H	013	013	2026-03-16 08:47:10	2026-03-16 08:51:52	282	CERRADA	Simulación normal
379	EMP-003	3	BANO_H	013	013	2026-03-16 08:58:09	2026-03-16 09:05:40	451	CERRADA	Simulación normal
383	EMP-005	5	BANO_H	013	013	2026-03-16 11:01:05	2026-03-16 11:08:59	474	CERRADA	Simulación normal
384	EMP-001	1	BANO_H	013	013	2026-03-16 11:18:34	2026-03-16 11:22:12	218	CERRADA	Simulación normal
385	EMP-002	2	BANO_H	013	013	2026-03-16 13:21:46	2026-03-16 13:29:58	492	CERRADA	Simulación normal
386	EMP-004	4	BANO_H	013	013	2026-03-16 13:48:08	2026-03-16 13:54:58	410	CERRADA	Simulación normal
387	EMP-005	5	BANO_H	013	013	2026-03-16 15:32:52	2026-03-16 15:53:06	1,214	CERRADA	Simulación crítica
388	EMP-002	2	BANO_H	013	013	2026-03-16 15:58:35	2026-03-16 16:08:32	597	CERRADA	Simulación normal
389	EMP-003	3	BANO_H	013	013	2026-03-16 16:20:01	2026-03-16 16:25:47	346	CERRADA	Simulación normal
390	EMP-004	4	BANO_H	013	013	2026-03-16 17:18:04	2026-03-16 17:51:34	2,800	CERRADA	Simulación crítica
391	EMP-001	1	BANO_H	013	013	2026-03-17 08:06:04	2026-03-17 08:22:02	958	CERRADA	Simulación larga
392	EMP-002	2	BANO_H	013	013	2026-03-17 08:17:03	2026-03-17 08:25:13	490	CERRADA	Simulación normal
393	EMP-003	3	BANO_H	013	013	2026-03-17 08:28:03	2026-03-17 08:32:02	239	CERRADA	Simulación normal
394	EMP-004	4	BANO_H	013	013	2026-03-17 08:39:02	2026-03-17 08:45:50	408	CERRADA	Simulación normal
395	EMP-005	5	BANO_H	013	013	2026-03-17 08:50:01	2026-03-17 08:59:39	578	CERRADA	Simulación normal
399	EMP-004	4	BANO_H	013	013	2026-03-17 11:05:16	2026-03-17 11:13:49	513	CERRADA	Simulación normal
400	EMP-005	5	BANO_H	013	013	2026-03-17 11:23:24	2026-03-17 11:27:47	263	CERRADA	Simulación normal
401	EMP-005	5	BANO_H	013	013	2026-03-17 13:01:11	2026-03-17 13:07:19	368	CERRADA	Simulación normal
402	EMP-001	1	BANO_H	013	013	2026-03-17 13:08:27	2026-03-17 13:17:18	531	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
403	EMP-003	3	BANO_H	013	013	2026-03-17 13:34:49	2026-03-17 13:42:18	449	CERRADA	Simulación normal
404	EMP-001	1	BANO_H	013	013	2026-03-17 15:14:27	2026-03-17 15:18:03	216	CERRADA	Simulación normal
405	EMP-003	3	BANO_H	013	013	2026-03-17 15:57:18	2026-03-17 16:06:32	554	CERRADA	Simulación normal
406	EMP-004	4	BANO_H	013	013	2026-03-17 16:18:43	2026-03-17 16:23:47	304	CERRADA	Simulación normal
407	EMP-001	1	BANO_H	013	013	2026-03-17 17:07:13	2026-03-17 17:12:34	321	CERRADA	Simulación normal
408	EMP-005	5	BANO_H	013	013	2026-03-17 17:08:14	2026-03-17 17:32:10	1,436	CERRADA	Simulación crítica
409	EMP-004	4	BANO_H	013	013	2026-03-18 08:08:55	2026-03-18 08:12:12	197	CERRADA	Simulación normal
410	EMP-005	5	BANO_H	013	013	2026-03-18 08:19:54	2026-03-18 08:26:00	366	CERRADA	Simulación normal
411	EMP-001	1	BANO_H	013	013	2026-03-18 08:35:58	2026-03-18 08:44:47	529	CERRADA	Simulación normal
412	EMP-002	2	BANO_H	013	013	2026-03-18 08:46:57	2026-03-18 09:03:49	1,012	CERRADA	Simulación larga
413	EMP-003	3	BANO_H	013	013	2026-03-18 08:57:56	2026-03-18 09:05:23	447	CERRADA	Simulación normal
417	EMP-003	3	BANO_H	013	013	2026-03-18 11:09:28	2026-03-18 11:18:41	553	CERRADA	Simulación normal
418	EMP-004	4	BANO_H	013	013	2026-03-18 11:27:36	2026-03-18 11:32:38	302	CERRADA	Simulación normal
419	EMP-002	2	BANO_H	013	013	2026-03-18 13:21:30	2026-03-18 13:29:38	488	CERRADA	Simulación normal
420	EMP-004	4	BANO_H	013	013	2026-03-18 13:47:52	2026-03-18 13:54:39	407	CERRADA	Simulación normal
421	EMP-002	2	BANO_H	013	013	2026-03-18 15:13:10	2026-03-18 15:23:04	594	CERRADA	Simulación normal
422	EMP-004	4	BANO_H	013	013	2026-03-18 15:56:00	2026-03-18 16:04:32	512	CERRADA	Simulación normal
423	EMP-005	5	BANO_H	013	013	2026-03-18 16:17:26	2026-03-18 16:21:47	261	CERRADA	Simulación normal
424	EMP-001	1	BANO_H	013	013	2026-03-18 16:21:44	2026-03-18 16:28:48	424	CERRADA	Simulación normal
425	EMP-002	2	BANO_H	013	013	2026-03-18 17:37:22	2026-03-18 17:42:01	279	CERRADA	Simulación normal
426	EMP-001	1	BANO_H	013	013	2026-03-18 19:13:25	2026-03-18 19:16:59	214	CERRADA	Simulación normal
427	EMP-001	1	BANO_H	013	013	2026-03-19 08:05:51	2026-03-19 08:11:08	317	CERRADA	Simulación normal
428	EMP-002	2	BANO_H	013	013	2026-03-19 08:16:50	2026-03-19 08:24:57	487	CERRADA	Simulación normal
429	EMP-003	3	BANO_H	013	013	2026-03-19 08:27:49	2026-03-19 08:45:36	1,067	CERRADA	Simulación larga
430	EMP-004	4	BANO_H	013	013	2026-03-19 08:38:49	2026-03-19 08:45:34	405	CERRADA	Simulación normal
431	EMP-005	5	BANO_H	013	013	2026-03-19 08:49:48	2026-03-19 08:59:22	574	CERRADA	Simulación normal
436	EMP-002	2	BANO_H	013	013	2026-03-19 11:13:39	2026-03-19 11:30:30	1,011	CERRADA	Simulación larga
437	EMP-005	5	BANO_H	013	013	2026-03-19 13:00:55	2026-03-19 13:06:59	364	CERRADA	Simulación normal
438	EMP-001	1	BANO_H	013	013	2026-03-19 13:08:11	2026-03-19 13:24:06	955	CERRADA	Simulación larga

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
439	EMP-003	3	BANO_H	013	013	2026-03-19 13:34:33	2026-03-19 13:41:59	446	CERRADA	Simulación normal
440	EMP-003	3	BANO_H	013	013	2026-03-19 15:11:52	2026-03-19 15:21:03	551	CERRADA	Simulación normal
441	EMP-005	5	BANO_H	013	013	2026-03-19 15:54:43	2026-03-19 16:02:32	469	CERRADA	Simulación normal
442	EMP-002	2	BANO_H	013	013	2026-03-19 16:20:27	2026-03-19 16:26:49	382	CERRADA	Simulación normal
443	EMP-003	3	BANO_H	013	013	2026-03-19 17:27:31	2026-03-19 17:31:27	236	CERRADA	Simulación normal
444	EMP-002	2	BANO_H	013	013	2026-03-19 19:29:04	2026-03-19 19:38:56	592	CERRADA	Simulación normal
445	EMP-004	4	BANO_H	013	013	2026-03-20 08:08:42	2026-03-20 08:27:24	1,122	CERRADA	Simulación larga
446	EMP-005	5	BANO_H	013	013	2026-03-20 08:19:41	2026-03-20 08:25:44	363	CERRADA	Simulación normal
447	EMP-001	1	BANO_H	013	013	2026-03-20 08:35:45	2026-03-20 08:44:31	526	CERRADA	Simulación normal
448	EMP-002	2	BANO_H	013	013	2026-03-20 08:46:44	2026-03-20 08:51:19	275	CERRADA	Simulación normal
449	EMP-003	3	BANO_H	013	013	2026-03-20 08:57:43	2026-03-20 09:05:07	444	CERRADA	Simulación normal
451	EMP-003	3	BANO_H	013	013	2026-03-20 10:24:06	2026-03-20 10:41:52	1,066	CERRADA	Simulación larga
452	EMP-004	4	BANO_H	013	013	2026-03-20 10:42:14	2026-03-20 10:47:12	298	CERRADA	Simulación normal
453	EMP-005	5	BANO_H	013	013	2026-03-20 11:00:22	2026-03-20 11:08:10	468	CERRADA	Simulación normal
454	EMP-001	1	BANO_H	013	013	2026-03-20 11:17:51	2026-03-20 11:21:22	211	CERRADA	Simulación normal
455	EMP-002	2	BANO_H	013	013	2026-03-20 13:21:14	2026-03-20 13:38:03	1,009	CERRADA	Simulación larga
456	EMP-004	4	BANO_H	013	013	2026-03-20 13:47:36	2026-03-20 13:54:19	403	CERRADA	Simulación normal
457	EMP-004	4	BANO_H	013	013	2026-03-20 15:10:35	2026-03-20 15:19:04	509	CERRADA	Simulación normal
465	EMP-004	4	BANO_H	013	013	2026-03-21 08:38:36	2026-03-21 08:45:18	402	CERRADA	Simulación normal
466	EMP-005	5	BANO_H	013	013	2026-03-21 08:49:35	2026-03-21 09:02:12	757	CERRADA	Simulación larga
467	EMP-001	1	BANO_H	013	013	2026-03-21 10:10:10	2026-03-21 10:17:09	419	CERRADA	Simulación normal
468	EMP-002	2	BANO_H	013	013	2026-03-21 10:28:18	2026-03-21 10:38:06	588	CERRADA	Simulación normal
470	EMP-004	4	BANO_H	013	013	2026-03-21 11:04:33	2026-03-21 11:23:14	1,121	CERRADA	Simulación larga
471	EMP-005	5	BANO_H	013	013	2026-03-21 11:22:41	2026-03-21 11:26:57	256	CERRADA	Simulación normal
472	EMP-005	5	BANO_H	013	013	2026-03-21 13:00:39	2026-03-21 13:06:40	361	CERRADA	Simulación normal
473	EMP-001	1	BANO_H	013	013	2026-03-21 13:07:55	2026-03-21 13:16:39	524	CERRADA	Simulación normal
474	EMP-003	3	BANO_H	013	013	2026-03-21 13:34:17	2026-03-21 13:52:01	1,064	CERRADA	Simulación larga
475	EMP-005	5	BANO_H	013	013	2026-03-21 15:09:17	2026-03-21 15:17:03	466	CERRADA	Simulación normal
476	EMP-001	1	BANO_H	013	013	2026-03-21 15:13:36	2026-03-21 15:17:05	209	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
477	EMP-002	2	BANO_H	013	013	2026-03-21 15:35:01	2026-03-21 15:51:49	1,008	CERRADA	Simulación larga
478	EMP-004	4	BANO_H	013	013	2026-03-21 16:17:52	2026-03-21 16:22:49	297	CERRADA	Simulación normal
479	EMP-001	1	BANO_H	013	013	2026-03-21 17:06:48	2026-03-21 17:22:39	951	CERRADA	Simulación larga
480	EMP-005	5	BANO_H	013	013	2026-03-21 17:07:49	2026-03-21 17:17:20	571	CERRADA	Simulación normal
481	EMP-004	4	BANO_H	013	013	2026-03-21 19:00:23	2026-03-21 19:08:50	507	CERRADA	Simulación normal
483	EMP-005	5	BANO_H	013	013	2026-03-22 08:19:28	2026-03-22 08:25:27	359	CERRADA	Simulación normal
484	EMP-001	1	BANO_H	013	013	2026-03-22 08:35:31	2026-03-22 08:44:13	522	CERRADA	Simulación normal
485	EMP-002	2	BANO_H	013	013	2026-03-22 08:46:31	2026-03-22 08:51:03	272	CERRADA	Simulación normal
487	EMP-005	5	BANO_H	013	013	2026-03-22 10:15:00	2026-03-22 10:27:36	756	CERRADA	Simulación larga
489	EMP-002	2	BANO_H	013	013	2026-03-22 10:50:37	2026-03-22 10:56:54	377	CERRADA	Simulación normal
491	EMP-004	4	BANO_H	013	013	2026-03-22 11:26:52	2026-03-22 11:31:47	295	CERRADA	Simulación normal
492	EMP-002	2	BANO_H	013	013	2026-03-22 13:20:58	2026-03-22 13:29:00	482	CERRADA	Simulación normal
493	EMP-004	4	BANO_H	013	013	2026-03-22 13:47:20	2026-03-22 14:05:59	1,119	CERRADA	Simulación larga
494	EMP-002	2	BANO_H	013	013	2026-03-22 15:12:18	2026-03-22 15:22:05	587	CERRADA	Simulación normal
495	EMP-003	3	BANO_H	013	013	2026-03-22 15:33:44	2026-03-22 15:51:27	1,063	CERRADA	Simulación larga
496	EMP-005	5	BANO_H	013	013	2026-03-22 16:16:34	2026-03-22 16:20:48	254	CERRADA	Simulación normal
497	EMP-002	2	BANO_H	013	013	2026-03-22 17:36:57	2026-03-22 17:53:43	1,006	CERRADA	Simulación larga
498	EMP-005	5	BANO_H	013	013	2026-03-22 19:16:03	2026-03-22 19:23:48	465	CERRADA	Simulación normal
499	EMP-001	1	BANO_H	013	013	2026-03-23 08:05:25	2026-03-23 08:10:36	311	CERRADA	Simulación normal
500	EMP-002	2	BANO_H	013	013	2026-03-23 08:16:24	2026-03-23 08:24:24	480	CERRADA	Simulación normal
501	EMP-003	3	BANO_H	013	013	2026-03-23 08:27:23	2026-03-23 08:31:12	229	CERRADA	Simulación normal
502	EMP-004	4	BANO_H	013	013	2026-03-23 08:38:22	2026-03-23 08:45:00	398	CERRADA	Simulación normal
503	EMP-005	5	BANO_H	013	013	2026-03-23 08:49:22	2026-03-23 08:58:49	567	CERRADA	Simulación normal
504	EMP-003	3	BANO_H	013	013	2026-03-23 10:01:04	2026-03-23 10:06:38	334	CERRADA	Simulación normal
505	EMP-004	4	BANO_H	013	013	2026-03-23 10:19:11	2026-03-23 10:27:34	503	CERRADA	Simulación normal
506	EMP-005	5	BANO_H	013	013	2026-03-23 10:37:19	2026-03-23 10:41:32	253	CERRADA	Simulación normal
507	EMP-001	1	BANO_H	013	013	2026-03-23 10:54:48	2026-03-23 11:01:44	416	CERRADA	Simulación normal
508	EMP-002	2	BANO_H	013	013	2026-03-23 11:12:56	2026-03-23 11:22:41	585	CERRADA	Simulación normal
514	EMP-001	1	BANO_H	013	013	2026-03-23 15:58:10	2026-03-23 16:01:36	206	CERRADA	Simulación normal

<b>Id</b>	<b>Empleado Id</b>	<b>Uniforme Id</b>	<b>Zona Id</b>	<b>Lector Entrada Id</b>	<b>Lector Salida Id</b>	<b>Fecha Entrada</b>	<b>Fecha Salida</b>	<b>Tiempo Seg</b>	<b>Estado</b>	<b>Observaciones</b>
516	EMP-004	4	BANO_H	013	013	2026-03-24 08:08:16	2026-03-24 08:11:23	187	CERRADA	Simulación normal
517	EMP-005	5	BANO_H	013	013	2026-03-24 08:19:15	2026-03-24 08:25:11	356	CERRADA	Simulación normal
518	EMP-001	1	BANO_H	013	013	2026-03-24 08:35:18	2026-03-24 08:43:57	519	CERRADA	Simulación normal
523	EMP-004	4	BANO_H	013	013	2026-03-24 10:41:30	2026-03-24 10:46:22	292	CERRADA	Simulación normal
524	EMP-005	5	BANO_H	013	013	2026-03-24 10:59:38	2026-03-24 11:07:19	461	CERRADA	Simulación normal
525	EMP-001	1	BANO_H	013	013	2026-03-24 11:17:07	2026-03-24 11:20:31	204	CERRADA	Simulación normal
526	EMP-002	2	BANO_H	013	013	2026-03-24 13:20:42	2026-03-24 13:28:40	478	CERRADA	Simulación normal
527	EMP-004	4	BANO_H	013	013	2026-03-24 13:47:04	2026-03-24 13:53:41	397	CERRADA	Simulación normal
528	EMP-004	4	BANO_H	013	013	2026-03-24 15:09:43	2026-03-24 15:18:05	502	CERRADA	Simulación normal
529	EMP-005	5	BANO_H	013	013	2026-03-24 15:31:09	2026-03-24 15:43:42	753	CERRADA	Simulación larga
530	EMP-001	1	BANO_H	013	013	2026-03-24 15:35:27	2026-03-24 15:42:21	414	CERRADA	Simulación normal
531	EMP-002	2	BANO_H	013	013	2026-03-24 15:56:52	2026-03-24 16:06:35	583	CERRADA	Simulación normal
532	EMP-004	4	BANO_H	013	013	2026-03-24 17:17:15	2026-03-24 17:35:51	1,116	CERRADA	Simulación larga